


www











11

迪迪
益有大的利
事

体育场 舞台









防水测试



在LED显示屏的表面洒水测试，
经过多项测试后，确保防护等级
要达到IP67，实现真正意义上的防水。

美亚迪光电



检测设备








LED





户内应用

户外应用










| | | | |
|--|---|---------------------------|--------------------------|
| | | | |
| | 2 | 2.5mm | 3mm |
| | | | |
| | | 160000 | 111111 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | 32S | 16S |
| | | | |
| | | 1920Hz | 1920Hz |
| | | | |
| | | 768*256 | 640*192 |
| | | 1.23m ² (80 “) | 1.1m ² (75 “) |
| | | 250W | 350W |
| | | 750W | 1000W |
| | | | |
| | | | |
| | | ≥100000 | ≥100000 |
| | | | |
| | | | |
| | | | |



户内全彩LED

≥1100/≥1400

140°



户内模組定制系列

定制

定制

定制

定制

定制

定制

定制

定制

定制

定制

定制



技术参数 SPECIFICATION

| | | | |
|----|----|-------|-------|
| P4 | 8S | 16Bit | 120Hz |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

